

# PISO TECHO

MUE-55CRDN1-N  
60,000 Btu/h  
SEER 15



Anti-Corrosivo



Ultra  
Silencioso



Diseño  
de Lujo

## ESPECIFICACIONES TÉCNICAS

Ficha Homologada: No

Tipo: Split Unitario Piso Techo

Modo de Operación: Frío

Tipo de Compresor: Inverter

Capacidad Comercial (BTU/H): 60,000 BTU/H

Capacidad de Enfriamiento Máxima (BTU/H): 60,000 BTU/H

Gas Refrigerante: R410A

Factor de Eficiencia: SEER (C) (4,60<=SEER<5,10) SEER 4,69 W/W

Tensión de Funcionamiento: 220V

Frecuencia: 60HZ

Garantía de Fábrica en Compresor: 6 años

Garantía de Fábrica en Partes: 2 años

Unidad de Despacho: POR UNIDAD

Marca: MIDEA

# PISO TECHO

**MUE-55CRDN1-N**  
60,000 Btu/h

Modelo del Evaporador: MUE-55CRDN1-N  
 Número de Parte: MUE-55CRDN1-N  
 Modelo del Condensador: MOV-55CDN1-N  
 Número de Parte: MOV-55CDN1-N  
 Empaque de Fábrica: Caja  
 Componentes: Control Remoto, Manual de Usuario, Manual de Instalación  
 Área a Cubrir (m2): De 80 a 110 mts<sup>2</sup> (varía según condición)  
 Rango de Operación: Desde 22000 hasta 55000 Btu/H  
 Nivel de Ruido Interior: (Alta-Media-Baja): 58.5/54/53.5 dB (A)  
 Nivel de Ruido Exterior: 63 dB(A)  
 Filtro de Aire: Si  
 Control de Temperatura: Control remoto inalámbrico  
 Protección Anticorrosiva: GOLD FIN  
 Tecnología: Inverter  
 Procedencia: China

Material Unidad Interior: Panel de Plástico Polipropileno  
 Material Unidad Exterior: Acero Galvanizado  
 Máxima Longitud de Tubería: 50 mts  
 Máxima Longitud en Vertical de Tubería: 30 mts



**Unidad Interior**



**Unidad Exterior**

Modelo	Capacidad BTU/h	Refrigerante	Voltaje	Longitud de Tubería	Longitud Vertical
MUE-55CRDN1-N	60,000 Btu/h	R4 10 a	220 V	50 mts	30 mts

Modelo Set	Modelo Unidad Interior	Modelo Unidad Exterior
	Dimensiones (W x D x H) mm	Dimensiones (W x D x H) mm
MUE-55CRDN1-N	MUE-55CRDN1-N	MOV-55CDN1-N
	1650 x 235 x 675 mm	710x710x843 mm
PESO	42 KG	80 KG

# Certificate of Product Ratings

AHRI Certified Reference Number : 8993387      Date : 06-28-2024      Model Status : Active

AHRI Type : RCU-A-CB-O (Mini-Split Air-Conditioner, with Remote Outdoor Unit-Air-Source, Free Delivery)

Outdoor Unit Brand Name : MDV

Outdoor Unit Model Number : MOV-55CDN1-N

Indoor Type : Mini-Splits (Non-Ducted)

Indoor Model Number(s) : MUE-55CRDN1-N

Region Note :      On January 1, 2023, efficiency standards increased for central air conditioners. Beginning January 1, 2023, central air conditioners can only be installed in region(s) for which they meet the new regional efficiency requirements.

Rated as follows in accordance with the latest edition of AHRI 210/240 - 2017 with Addendum 1, Performance Rating of Unitary Air-Conditioning & Air-Source Heat Pump Equipment and subject to rating accuracy by AHRI-sponsored, independent, third party testing:

Cooling Capacity (A2) - Single or High Stage (95F), btuh : 54000

SEER : 15.00

EER (A2) - Single or High Stage (95F) : 9.90

Rated as follows in accordance with the latest edition of AHRI 210/240 – 2023, Performance Rating of Unitary Air-Conditioning & Air-Source Heat Pump Equipment and subject to rating accuracy by AHRI-sponsored, independent, third party testing:

Cooling Capacity (A<sub>Full</sub>) – Single or High Stage (95F), btuh : 54000

SEER2 : 15.00

EER2 (A<sub>Full</sub>) – Single or High Stage (95F) : 9.90

Sold in? : USA, Canada

**AHRI** CERTIFIED®  
www.ahridirectory.org

?"Active" Model Status are those that an AHRI Certification Program Participant is currently producing AND selling or offering for sale; OR new models that are being marketed but are not yet being produced.?Production Stopped? Model Status are those that an AHRI Certification Program Participant is no longer producing BUT is still selling or offering for sale.

Ratings that are accompanied by WAS indicate an involuntary re-rate. The new published rating is shown along with the previous (i.e. WAS) rating.

The Department of Energy has published updated energy efficiency metrics for central air conditioners and heat pumps. This publication reflects both the 1987 metric (SEER) and the 2023 metric (SEER2). Efficiency requirements are published at 10 C.F.R. 430.32(c). Please refer to www.AHRI.net.org for more information about updated energy efficiency metrics.

#### DISCLAIMER

AHRI does not endorse the product(s) listed on this Certificate and makes no representations, warranties or guarantees as to, and assumes no responsibility for, the product(s) listed on this Certificate. AHRI expressly disclaims all liability for damages of any kind arising out of the use or performance of the product(s), or the unauthorized alteration of data listed on this Certificate. Certified ratings are valid only for models and configurations listed in the directory at [www.ahridirectory.org](http://www.ahridirectory.org).

#### TERMS AND CONDITIONS

This Certificate and its contents are proprietary products of AHRI. This Certificate shall only be used for individual, personal and confidential reference purposes. The contents of this Certificate may not, in whole or in part, be reproduced; copied; disseminated; entered into a computer database; or otherwise utilized, in any form or manner or by any means, except for the user's individual, personal and confidential reference.

#### CERTIFICATE VERIFICATION

The information for the model cited on this certificate can be verified at [www.ahridirectory.org](http://www.ahridirectory.org), click on "Verify Certificate" link and enter the AHRI Certified Reference Number and the date on which the certificate was issued, which is listed above, and the Certificate No., which is listed at bottom right.

©2024 Air-Conditioning, Heating, and Refrigeration Institute



we make life better™

**CERTIFICATE NO.:**

133640859823939688